Gearch Hirtory. 1/30/05. # (12 pp.)

Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#		(43.7)		Operator		,e otap
L1	2489	((257/79) or (257/89) or (257/98) or (257/100)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/30 14:38
L2	334	1 and (seal\$3 encapsula\$4) and epoxy near4 resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 14:52
L3	8	1 and (seal\$3 encapsula\$4) and epoxy near4 resin near10 (phosphor luminscen\$2) and (dye dyeing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 15:00
L4	3	"221789".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 15:02
L5	0	(2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:02
L6	0	("US20010000622").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:02
L7	0	(US2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:03
L8	0	(US2001/0000622).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:03
L9	2	("20010000622").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:15
L10	0	("wo-9750132\$-\$.did.").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 15:15

L11	2	wo-9750132\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:54
L12	33012	anthraquinone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:55
L13	14792	anthraquinone.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:55
L14	42	anthraquinone.ti,ab,clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:57
L15	14	anthraquinone.ti,ab,clm. and "257"/\$9.ccls. and colo\$1r	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:58
L16		color near4 anthraquinone.ti,ab, clm. and "257"/\$9.ccls. and colo\$1r	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 16:59
L17	1	color near4 anthraquinone.ti,ab, clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:09
L18	0	color near4 perinone.ti,ab,clm. and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:10
L19	1	color near4 perinone.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:18
L22	(a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	azu near4 spectrum near4 color ti, ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:21

	,					
L23	0	azu near10 spectrum near10 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:22
-24	0	azu near22 spectrum near22 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:22
L25	8	azo near22 spectrum near22 color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:49
L26	10	(correct corrected correcting adjust adjusted adjusting adjustment) near10 (color colour) near10 (dyedyes) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 17:50
L27	29	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$ or US-20040036081-\$ or US-20040188697-\$).did. or (US-4152624-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$ or US-6809342-\$ or US-6835958-\$ or US-6812500-\$). did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-2004161863-\$ or JP-59062624-\$ or JP-20040046178-\$).did. or (WO-2004019422-\$ or US-20040046178-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/30 18:27
L28		27 and "372"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/30 18:28

						
L29	11517	((257/79) or (257/8\$1) or (257/9\$1) or (257/100) or (257/101) or (257/102) or (257/103) or (372/23) or (372/43) or (372/44) or (372/45) or (372/46) or (372/47) or (372/48) or (372/49) or (372/50)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/01/30 18:30
L30	87	29 and (phosphor fluorescen\$2) and resin and (light adj emitting adj (device diode) laser) and dye and (encapsulant encapsulating encapsulate seal selant sealing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/30 18:32
S1	13	light adj emitting adj (device diode).ti,ab,clm. and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:45
S2	0	light adj emitting adj (device	US-PGPUB;	OR	ON	2004/08/22 10:46
	10 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	diode).ti,ab,clm. and thermosetting adj epoxy adj resin near6 encapsulant.ti,ab,clm.	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S3	0	light adj emitting adj (device diode).ti,ab,clm. and thermosetting near6 epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:46
S4	0	light adj emitting adj (device diode).ti,ab,clm. and thermosetting near12 epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:46
S5	13	light adj emitting adj (device diode).ti,ab,clm. and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:00
S6	1	"6335548".pn. and resin and epox\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 10:47
S7	26	light adj emitting adj (device diode) and encapsulant and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:01
S8	9	light adj emitting adj (device diode) and transparent near8 encapsulant and epoxy adj resin near6 encapsulant.ti,ab,clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:14

S9	2	jp-59062624\$-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:46
S10	37	(((pigment tint dye) near6 absorb\$3) complementary adj colo\$1r) and light adj emitting adj (diode element device) and encapsulant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:48
S11	30	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsulant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:53
S12	92	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:53
S13	64	(((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3) not S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:54
S14	7	((((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) and light adj emitting adj (diode element device) and encapsul\$3) not S11) and 257\$9. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:57
S15	0	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) near6 (light-emitting light adj emitting led) and encapsul\$3 and 257\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 11:59
S16	0	((pigment tint dye) near6 (absorb\$3 complementary adj colo\$1r)) near6 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 12:00
S17	0	((pigment tint dye) near16 (absorb\$3 complementary adj colo\$1r)) near16 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OŔ	ON	2004/08/22 12:02

S18	9	((pigment tint dye colo\$1r) near16 (absorb\$3 complementary adj colo\$1r)) near16 (light-emitting light adj emitting led) and encapsul\$3 and ("438"/\$9.ccls. 257\$9.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/22 12:02
S19	19	(US-6521915-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6656608-\$ or US-4152624-\$ or US-6661029-\$).did. or (US-20040046178-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010050371-\$ or US-20040070338-\$ or US-20040090161-\$ or US-20020004251-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$ or JP-59062624-\$). did.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/22 12:39
S20	3	"648224".ap.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/22 12:51
S21	37	surface near6 (phosphor phosphorescent) near6 (white adj light encapsulant)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:05
S22	291	257/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:10
S23	64	"YAG:Ce" near6 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11
S24	62	"YAG:Ce" near3 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11
S25	43	"YAG:Ce" near1 phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/22 13:11

S26	4	"648224".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:25
S27	1	sano.in. and masaki.in. and "citizen"	JPO; DERWENT	OR	-OFF	2004/08/21 14:31
S28	291	(257/89).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:35
S29	1730	(257/98).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S30	538	(257/100).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S31	2296	((257/89).CCLS.) ((257/98).CCLS.) ((257/100).CCLS.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:36
S32	10	(((257/89).CCLS.) ((257/98).CCLS.) ((257/100).CCLS.)) and transparent near4 resin and phosphor and (filter dye)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:50
S33	2	jp-05152609\$-\$,did.	US-PGPUB; USPAT; EPO: JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:56
S34	9512	257/79.ccls. 257/8\$1.ccls. 257/9\$1. ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 14:57
S35	17	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 (dye colo\$1r adj filter) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR OR Marketine Mar	OFF	2004/08/21 15:57

				T		
S36	21	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 (dye colo\$1r adj filter) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:01
S37	3	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and transparent adjresin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:01
S38	0	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:02
S39	•0	(257/79.ccls. 257/8\$1.ccls. 257/9\$1.ccls. 257/100.ccls. 257/101.ccls. 257/102.ccls. 257/103.ccls.) and (phosphor phosphorescence phosphorescent) near15 colo\$1r adj filter and epoxy adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:05
S40	142	red adj phosphor and blue near2 filter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S41	39	red adj phosphor and blue near2 filter and white adj light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S42	11	red adj phosphor and blue near2 filter and white adj light and light adj emitting adj (diode device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:32
S43	1	red adj phosphor and blue near2 filter and white adj light and light adj emitting adj (diode device) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:34
S44	3	red adj phosphor and blue near2 filter and light adj emitting adj (diode device) and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:36

	·					т
S45	23	red adj phosphor and blue near2 filter and light adj emitting adj (diode device)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:37
.S46	5	red adj phosphor and blue near2 filter and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:38
S47	6	red near2 phosphor and blue near2 filter and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:55
S48	47	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21:16:56
S49	37	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 16:56
S50	4	red near2 phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	⊙N	2004/08/21 17:00
S51	1	yellow adj phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:00
S52	0	orange adj phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:01
S53	21	phosphor and (pigment blue near2 filter) and light adj emitting adj (diode device) and "257"/\$9.ccls. and transparent adj resin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/21 17:01

			Y	т	ı	
S54	15	(US-6521915-\$ or US-6661029-\$ or US-6656608-\$ or US-6335548-\$ or US-5874803-\$ or US-6137459-\$). did. or (US-20040046178-\$ or US-20040070338-\$ or US-20010030326-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010050371-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2004/08/21 17:14
S55	5	((US-6521915-\$ or US-6661029-\$ or US-6656608-\$ or US-6335548-\$ or US-5874803-\$ or US-6137459-\$). did. or (US-20040046178-\$ or US-20040070338-\$ or US-20010030326-\$ or US-20010002049-\$ or US-20010000622-\$ or US-20010050371-\$ or US-20020003233-\$).did. or (JP-2004088003-\$ or JP-05152609-\$).did.) and pigment and phosphor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2004/08/21 17:24
S56	13	light adj emitting adj (diode device element).ti,ab,clm. and transparent adj resin same (phosphor fluorescent) and (pigment dye) and chromaticity and white adj light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/21 17:26
S57	4	"648224".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:21
S58	3	("6335548").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/28 17:21

			 			
S59	20	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$).did. or (US-4152624-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$).did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-59062624-\$).did.	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/01/29 16:34
S60	11	(US-20010000622-\$ or US-20010002049-\$ or US-20010030326-\$ or US-20010050371-\$ or US-20020003233-\$ or US-20020004251-\$ or US-20040046178-\$ or US-20040070338-\$ or US-20040090161-\$).did. or (US-4152624-\$ or US-5874803-\$ or US-6137459-\$ or US-6335548-\$ or US-6521915-\$ or US-6656608-\$ or US-6661029-\$).did. or (DE-10301169-\$).did. or (JP-05152609-\$ or JP-2004088003-\$ or JP-59062624-\$).did.	USPAT; EPO; JPO	OR	OFF	2005/01/29 16:34
S61	4	S60 and dye and phosphor\$3	USPAT; EPO; JPO	OR	OFF	2005/01/29 16:38
S62	3	S60 and dye and phosphor\$3 and white adj light	USPAT; EPO; JPO	OR	OFF	2005/01/29 17:13
S63	3	S60 and dye and phosphor\$3 and white adj light	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/29 17:13
S64	0	(correction correcting correct tune tuning adjust adjusting adjustment) near2 (chromaticity color spectrum spectra) near10 dye and phosphor adj particle and epoxy adj resin near4 (seal sealing sealant) and light adj emitting adj (diode device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:16

					,	
S65	1	(correction correcting correct tune tuning adjust adjusting adjustment) near2 (chromaticity color spectrum spectra) near10 dye and phosphor adj particle and light adj emitting adj (diode device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:24
S66	3	(seal sealant sealing) near4 (epoxy adj resin) and light adj emitting adj device and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:34
S67	3	(seal sealant sealing) near4 (epoxy near4 resin) and light adj emitting adj device and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:34
S68	3	(seal sealant sealing) near4 (epoxy near4 resin) and (LED light adj emitting adj device).ti,ab,clm. and phosphor and (white adj light chromaticity spectrum spectra)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:35
S69	8	(seal sealant sealing) near4 (epoxy near4 resin) and (LED light adj emitting adj device).ti,ab,clm. and phosphor	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 17:35
S70	46	(seal sealant sealing) near10 (epoxy near4 resin) and light adj emitting adj (diode device) and phosphor and (dye dyeing color colour coloring colouring)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/29 20:54